

Universal Multiple-Octet Coded Character Set
UCS

ISO/IEC JTC1/SC2/IRG N2374

Date: 2019-5-9

Doc. Type:	Member body contribution
Title:	TCA's Feedback for the disunification requests from IRG#51 Recommendation M51.4 item 2(Radical)
Source:	TCA
Status:	Input to IRG meeting 52
Action:	For consideration by JTC1/SC2/WG2/IRG
Distribution:	IRG Members and Ideographic Experts
No. of pages:	2
Appendixes	None
Medium:	Electronic

For the radicals 攴 and 攴, we found 9 groups of coded glyphs associated with T-source characters, as shown in the following table.

According to NUCV #405 (refer to IRGN2243), TCA would like to separately encode glyphs with different shape of the radical (i.e., 攴 and 攴) to maintain consistency in the coding rule, even if TCA need to pay some price for that action.

No.	ISO/IEC 10646:2017	UCS	CNS	全字庫	CNS11643:2007
1	3A81 攴 66.4 攴 66.4 G3-467B 攴 T4-265E	3A81	4-265E	攴 攴 攴 明體 楷體 宋體	攴 265E
2	3A88 攴 66.6 攴 66.6 G3-4721 攴 T4-2D42 K3-2676	3A88	4-2D42	攴 攴 攴 明體 楷體 宋體	攴 2D42
3	3A8C 攴 66.7 攴 66.7 G5-4878 攴 T4-3228 K3-2677	3A8C	4-3228	攴 攴 攴 明體 楷體 宋體	攴 3228
4	3A8E 攴 66.7 攴 66.7 G3-4722 攴 T4-322C	3A8E	4-322C	攴 攴 攴 明體 楷體 宋體	攴 322C
5	3A9C 攴 66.9 攴 66.9 G5-4926 攴 T4-3D5C K3-267E	3A9C	4-3D5C	攴 攴 攴 明體 楷體 宋體	攴 3D5C
6	3AA2 攴 66.10 攴 66.10 G3-4733 攴 T5-462E	3AA2	5-462E	攴 攴 攴 明體 楷體 宋體	攴 462E

No.	ISO/IEC 10646:2017	UCS	CNS	全字庫	CNS11643:2007
7	3AAC 支 66.14 𪛗 G3-4739 𪛘 T4-5B3A 𪛙 K3-2728	3AAC	4-5B3A	𪛗 明體 𪛘 楷體 𪛙 宋體	𪛘 5B3A
8	22F8B 支 66.9 𪛚 UCS2003 𪛛 GKX-0473.33 𪛜 T5-3F5B	22F8B	5-3F5B	𪛚 明體 𪛛 楷體 𪛜 宋體	𪛜 3F5B
	22FA1 支 66.9 𪛝 UCS2003 𪛞 GHZ-21470.12		10-4C26	𪛝 明體 𪛞 楷體 𪛟 宋體	
9	23023 支 66.16 𪛟 UCS2003 𪛠 GKX-0476.21 𪛡 T5-6C34	23023	5-6C34	𪛟 明體 𪛠 楷體 𪛡 宋體	𪛡 6C34

(End of document)