

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00458	□ 30.8						𠵼 UK-10603		
	𠵼 □ 𠵼								
	Trad 𠵼 (3) 11								
00465	□ 30.8							𠵼 V-F129F	
	𠵼 □ 𠵼								
	Trad 乙 (5) 11								
00438	□ 30.8	𠵼 GZ-0302405							
	𠵼 □ 𠵼								
	Trad 一 (1) 11								
00439	□ 30.8	𠵼 GZ-1831402							
	𠵼 □ 𠵼								
	Simp 一 (1) 11								
00459	□ 30.8						𠵼 UK-10673		
	𠵼 □ 𠵼								
	Trad 𠵼 (3) 11								
00445	□ 30.8	𠵼 GXM-00253							
	𠵼 □ 𠵼								
	Simp (2) 11								
00466	□ 30.8	𠵼 GZA-719317							
	𠵼 □ 𠵼								
	Simp 乙 (5) 11								
00452	□ 30.8							𠵼 V-F174A	
	𠵼 □ 𠵼								
	Trad 𠵼 (3) 11								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00440	□ 30.8			𠵹 USAT01366					
	𠵹 □ 𠵹								
	Trad 一 (1) 11								
00455	□ 30.8	𠵹 GXM-00085							
	𠵹 告 予								
	Trad 丿 (3) 11								
00444	□ 30.8	𠵹 GXM-00050							
	𠵹 员 匀								
	Simp (2) 11								
05004	□ 30.8	𠵹 GZ-1252504							R=030 □, IRG 52. moved to ws2017, irg50. pending Radical #30 □, irg46.
	𠵹 品 丁								
	Trad (2) 11								
00446	□ 30.8	𠵹 GZ-1782605							
	𠵹 甲 合								
	Trad (2) 11								
00454	□ 30.8							𠵹 V-F1D86	
	𠵹 𠵹 𠵹 𠵹 𠵹 𠵹								
	Trad 丿 (3) 11								
00463	□ 30.8	𠵹 GZA-214139							
	𠵹 初 𠵹								
	Trad 丶 (4) 11								
00481	□ 30.9							𠵹 V-F1D5F	
	𠵹 𠵹 𠵹 𠵹 𠵹								
	Trad 丿 (3) 12								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00467	□ 30.9							𠵹 V-F00A4	
	□□石双								
	— (1) 12								
00480	□ 30.9							𠵹 V-F174B	
	□□促								
	ノ (3) 12								
00478	□ 30.9							𠵹 V-F06E9	
	□□信								
	ノ (3) 12								
00484	□ 30.9							𠵹 V-F1D68	
	□□养								
	、 (4) 12								
00490	□ 30.9	𠵹 GZA-206556							
	□□孖								
	乙 (5) 12								
00469	□ 30.9							𠵹 V-F1750	
	□□持								
	— (1) 12								
00477	□ 30.9						𠵹 UK-10531		
	□□显								
	(2) 12								
00471	□ 30.9						𠵹 UK-10646		
	□□柿								
	— (1) 12								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00489	□ 30.9						哈 UK-10692		
	□ □ 洽								
	Trad 丶 (4) 12								
00491	□ 30.9						癸 UK-10977		
	□ □ 癸								
	Trad 乙 (5) 12								
00472	□ 30.9						耐 UK-10754		
	□ □ 耐								
	Trad 一 (1) 12								
00479	□ 30.9							胖 V-F0D2E	
	□ □ 胖								
	Trad 丿 (3) 12								
00482	□ 30.9							胜 V-F1D6C	
	□ □ 胜								
	Simp 丿 (3) 12								
00443	□ 30.9							苓 V-F0CDE	
	□ □ 苓								
	Trad (2) 12								
00487	□ 30.9	说 GZA-212549							
	□ □ 说								
	Simp 丶 (4) 12								
00485	□ 30.9	啍 GXM-00206							
	□ □ 郑								
	Simp 丶 (4) 12								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00486	□ 30.9	𠵹 GXM-00326							
	𠵹 □ 𠵹								
	、 (4) 12								
00483	□ 30.9	𠵹 GZ-4742102							
	𠵹 □ 𠵹								
	、 (3) 12								
00475	□ 30.9	𠵹 GZA-202042							
	𠵹 □ 𠵹								
	(2) 12								
00488	□ 30.9						𠵹 UK-10543		
	𠵹 □ 𠵹								
	、 (4) 12								
00508	□ 30.10						𠵹 UK-10753		
	𠵹 □ 𠵹								
	、 (3) 13								
00507	□ 30.10						𠵹 UK-10723		
	𠵹 □ 𠵹								
	、 (3) 13								
00512	□ 30.10						𠵹 UK-10689		
	𠵹 □ 𠵹								
	、 (4) 13								
00514	□ 30.10						𠵹 UK-10651		
	𠵹 □ 𠵹								
	乙 (5) 13								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00501	□ 30.10							嘸 V-F16C6	
	□ □ 師								
	Trad ㄅ (3) 13								
00641	□ 30.10						嘸 UK-10684		
	□ □ 幫								
	Simp 一 (1) 13								
00504	□ 30.10						噉 UK-10461		
	□ □ 恁								
	Trad ㄅ (3) 13								
00511	□ 30.10	噉 GXM-00328							
	□ □ 恋								
	Simp ㄣ (4) 13								
00531	□ 30.10							悔 V-F08BD	
	□ □ 悔								
	Trad ㄣ (4) 13								
00493	□ 30.10						咩 UK-10413		
	□ □ 样								
	Simp 一 (1) 13								
00495	□ 30.10						咳 UK-10705		
	□ □ 核								
	Trad 一 (1) 13								
00494	□ 30.10						垮 UK-10641		
	□ □ 垮								
	Trad 一 (1) 13								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00513	口 30.10						噤 UK-10704		
	口 淳								
	Trad 丿 (4) 13								
00496	口 30.10					噤 UTC-03067			
	口 热								
	Simp 一 (1) 13								
00505	口 30.10						秘 UK-10637		
	口 秘								
	Trad 丿 (3) 13								
00497	口 30.10							𠵼 V-F12B7	
	口 𠵼								
	Trad (2) 13								
00500	口 30.10	𠵼 GXM-00325							
	口 荔								
	Trad (2) 13								
00473	口 30.10							𠵼 V-F0813	
	口 榮								
	Simp (2) 13								
00640	口 30.10						𠵼 UK-10478		
	口 道								
	Trad 一 (1) 13								
00506	口 30.10						𠵼 UK-10682		
	口 釘								
	Trad 丿 (3) 13								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00502	口 30.10							𠵼 V-F1D64	
	𠵼 口針								
	Trad 丿 (3) 13								
00510	口 30.10							𠵼 V-F12BB	
	𠵼 口𠵼								
	Trad 丶 (4) 13								
00509	口 30.10							𠵼 V-F00AB	
	𠵼 口𠵼								
	Trad 丶 (4) 13								
00499	口 30.10							𠵼 V-F1D69	
	𠵼 口𠵼								
	Trad (2) 13								
00492	口 30.10	𠵼 GZ-2511305							
	𠵼 号青								
	Simp 一 (1) 13								
00503	口 30.10		𠵼 KC-07956						
	𠵼 𠵼 口								
	Trad 丿 (3) 13								
00468	口 30.10							𠵼 V-F12A8	
	𠵼 古初								
	Trad 一 (1) 13								
00525	口 30.11							𠵼 V-F1D5E	
	𠵼 口 𠵼 禾𠵼								
	Trad 丿 (3) 14								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00519	□ 30.11							噴 V-F16D9	
	□ □ 賢								
	Trad (2) 14								
00524	□ 30.11							喂 V-F16CB	
	□ □ 喂								
	Trad / (3) 14								
00529	□ 30.11						兜 UK-10751		
	□ □ 兜								
	Trad / (3) 14								
00533	□ 30.11							寄 V-F16CD	
	□ □ 寄								
	Trad 、 (4) 14								
00536	□ 30.11						嗲 UK-10657		
	□ □ 嗲								
	Simp 、 (4) 14								
00515	□ 30.11						嗒 UK-10448		
	□ □ 嗒								
	Trad — (1) 14								
00516	□ 30.11						嗒 UK-10660		
	□ □ 掩								
	Trad — (1) 14								
00522	□ 30.11						哺 UK-10638		
	□ □ 哺								
	Trad (2) 14								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00523	口 30.11							𪗇 V-F12C3	
	口猪								
	ノ (3) 14								
00527	口 30.11	𪗇 GZA-200466							
	口笼								
	ノ (3) 14								
00540	口 30.11						𪗇 UK-10997		
	口細								
	乙 (5) 14								
00532	口 30.11							𪗇 V-F12C9	
	口設								
	、 (4) 14								
00539	口 30.11	𪗇 GZ-2031405							
	口貫								
	乙 (5) 14								
00517	口 30.11							𪗇 V-F0867	
	口連								
	(2) 14								
00526	口 30.11	𪗇 GZ-3712101							
	合岩								
	ノ (3) 14								
00538	口 30.11							𪗇 V-F175E	
	台哉								
	乙 (5) 14								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00535	口 30.11	啓 GDM-00186							
	𠵿 啟口								
	Trad 丿 (4) 14								
00520	口 30.11			罪 USAT08716					
	𠵿 罍升								
	Trad (2) 14								
00521	口 30.11						罍 UK-10095		
	𠵿 𠵿各								
	Trad (2) 14								
00557	口 30.12						𠵿 V-F1D61		
	𠵿 𠵿𠵿								
	Trad 丿 (4) 16								
00558	口 30.12	𠵿 GZ-2451301							
	𠵿 𠵿割								
	Trad 丿 (4) 15								
00549	口 30.12						𠵿 UK-10670		
	𠵿 𠵿勝								
	Trad 丿 (3) 15								
00560	口 30.12						𠵿 UK-10665		
	𠵿 𠵿𠵿								
	Trad 丿 (4) 15								
00563	口 30.12						𠵿 UK-10360		
	𠵿 𠵿𠵿								
	Trad 乙 (5) 15								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00561	□ 30.12						𪛗 UK-10699		
	□ □ 測								
	Trad ㄟ (4) 15								
00564	□ 30.12						𪛘 UK-10724		
	□ □ 疏								
	Trad 乙 (5) 15								
00554	□ 30.12							𪛙 V-F12D9	
	□ □ 審								
	Trad ㄟ (4) 15								
00559	□ 30.12						𪛚 UK-10427		
	□ □ 窶								
	Simp ㄟ (4) 15								
00537	□ 30.12							𪛛 V-F00C9	
	□ □ 給								
	Trad 乙 (5) 15								
00518	□ 30.12							𪛜 V-F0ABE	
	□ □ 葬								
	Trad (2) 15								
00545	□ 30.12	𪛝 GZ-2111401							
	□ □ 菊								
	Trad (2) 15								
00548	□ 30.12						𪛞 UK-10695		
	□ □ 蛤								
	Trad (2) 15								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00556	口 30.12							𪛗 V-F16E3	
	𪛗 口 𪛗								
	、 (4) 15								
00550	口 30.12						𪛗 UK-10749		
	𪛗 口 街								
	ノ (3) 15								
00543	口 30.12	𪛗 GZ-1182307							
	𪛗 口 裂								
	一 (1) 15								
00551	口 30.12							𪛗 V-F00CB	
	𪛗 口 裊								
	、 (4) 15								
00530	口 30.12							𪛗 V-F00B9	
	𪛗 口 詐								
	、 (4) 15								
00630	口 30.12						𪛗 UK-10726		
	𪛗 口 象								
	ノ (3) 15								
00629	口 30.12						𪛗 UK-10541		
	𪛗 口 鄂								
	(2) 15								
00552	口 30.12							𪛗 V-F12D3	
	𪛗 口 戰								
	、 (4) 15								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00555	口 30.12							𠵼 V-F16DD	
	𠵼 口 𠵼								
	Trad 𠵼 (4) 15								
00553	口 30.12							𠵼 V-F12D4	
	𠵼 口 𠵼								
	Trad 𠵼 (4) 15								
00542	口 30.12							𠵼 V-F176A	
	𠵼 味 每								
	Trad 一 (1) 15								
00546	口 30.12			𠵼 USAT06208					
	𠵼 𠵼 𠵼								
	Trad (2) 15								
00544	口 30.12						𠵼 UK-10716		
	𠵼 口 𠵼								
	Trad 一 (1) 15								
00562	口 30.12			𠵼 USAT04264					
	𠵼 𠵼 𠵼								
	Trad 乙 (5) 15								
00547	口 30.12		𠵼 KC-07209						
	𠵼 光 𠵼 光 𠵼								
	Trad (2) 15								
00580	口 30.13						𠵼 UK-10654		
	𠵼 口 𠵼								
	Trad 乙 (5) 16								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00570	□ 30.13						噏 UK-10687		
	□ □ 想								
	Trad — (1) 16								
00565	□ 30.13							𠵼 V-F0CD8	
	□ □ 搵								
	Trad — (1) 16								
00633	□ 30.13						𠵼 UK-10597		
	□ □ 敬								
	Trad (2) 16								
00631	□ 30.13						𠵼 UK-10702		
	□ □ 極								
	Trad — (1) 16								
00541	□ 30.13							𠵼 V-F16EA	
	□ □ 樓								
	Simp — (1) 16								
00578	□ 30.13						𠵼 UK-10652		
	□ □ 溪								
	Trad 、 (4) 16								
00635	□ 30.13						𠵼 UK-10773		
	□ □ 睡								
	Trad (2) 16								
00574	□ 30.13						𠵼 UK-10715		
	□ □ 督								
	Trad (2) 16								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00577	口 30.13						囁 UK-10469		
	口 窠								
	Trad 丿 (4) 16								
00575	口 30.13	触 GZ-0901401							
	口 触								
	Simp 丿 (3) 16								
00573	口 30.13						跡 UK-10709		
	口 跡								
	Trad (2) 16								
00634	口 30.13						遐 UK-10640		
	口 遐								
	Trad 乙 (5) 16								
00569	口 30.13						零 UK-10680		
	口 零								
	Trad 一 (1) 16								
00566	口 30.13						囁 V-F1D6B		
	口 囁								
	Trad 一 (1) 16								
00632	口 30.13						映 UK-10735		
	啄 央								
	Trad 一 (1) 16								
00568	口 30.13						訇 UK-10672		
	喜 分								
	Trad 一 (1) 16								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00579	口 30.13		陶 KC-07384						k data corrected, irg50.
	田陶口匕								
	乙 (5) 16								
00586	口 30.14		喂 KC-07784						
	口口果衣								
	(2) 17								
00567	口 30.14	噯 GZA-208908							
	口口墓								
	(2) 17								
00595	口 30.14		嘍 KC-07385						
	口口寥								
	、 (4) 17								
00581	口 30.14							噫 V-F12E8	
	口口愿								
	一 (1) 17								
00582	口 30.14						嚼 UK-10708		
	口口曆								
	一 (1) 17								
00584	口 30.14						噓 UK-10727		
	口口樣								
	一 (1) 17								
00587	口 30.14							噍 V-F16F2	
	口口箕								
	ノ (3) 17								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00590	口 30.14	噯 GPGLG-4013							
	口 算								
	Trad ノ (3) 17								
00592	口 30.14						嘜 UK-10483		
	口 筍								
	Simp ノ (3) 17								
00594	口 30.14							噉 V-F16F5	
	口 誨								
	Trad 、 (4) 17								
00571	口 30.14							噉 V-F06E5	
	口 遣								
	Trad (2) 17								
00583	口 30.14						噉 UK-10717		
	口 酷								
	Trad 一 (1) 17								
00593	口 30.14							噉 V-F00DA	
	口 韶								
	Trad 、 (4) 17								
00588	口 30.14							噉 V-F1762	
	后 婁								
	Trad ノ (3) 17								
00589	口 30.14							噉 V-F19A9	
	每 唇								
	Trad ノ (3) 17								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00602	□ 30.15						噉 UK-10683		
	□ □ 儉								
	Trad ノ (3) 18								
00603	□ 30.15							嘯 V-F00E7	
	□ □ 廟								
	Trad 、 (4) 18								
00597	□ 30.15							嘽 V-F16FA	
	□ □ 撥								
	Trad 一 (1) 18								
00598	□ 30.15							嘽 V-F16FB	
	□ □ 椿								
	Trad 一 (1) 18								
00604	□ 30.15						潭 UK-10656	潭 V-F08B7	unifies 00606, irg50.
	□ □ 潭								
	Trad 、 (4) 18								
00600	□ 30.15							踪 V-F16FD	
	□ □ 踪								
	Trad (2) 18								
00599	□ 30.15							嘽 V-F16FE	
	□ □ 輦								
	Trad 一 (1) 18								
00601	□ 30.15			噉 USAT08961					
	□ □ 蕉								
	Trad (2) 18								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00596	口 30.15							屨 V-F0A11	
	𠵿唇枚								
	Trad — (1) 18								
00608	口 30.16							𠵿 V-F1700	
	𠵿口整								
	Trad — (1) 19								
00636	口 30.16						𠵿 UK-10677		
	𠵿口橫								
	Trad — (1) 19								
00609	口 30.16	𠵿 GZA-613434							
	𠵿口櫓								
	Trad — (1) 19								
00605	口 30.16							𠵿 V-F1DF2	
	𠵿口諸								
	Trad 丶 (4) 19								
00607	口 30.16							𠵿 V-F08E2	
	𠵿口險								
	Trad 乙 (5) 19								
00824	口 30.16							𠵿 V-F17A4	R=30 (口), IRG 52.
	𠵿坦售								
	Trad — (1) 19								
00610	口 30.16		𠵿 KC-07387						
	𠵿𠵿咎								
	Trad — (1) 19								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00612	口 30.16		𪛗 KC-07386						
	𪛗口秉秉								
	Trad ㄣ (3) 19								
00637	口 30.17						𪛗 UK-10644		
	𪛗口擎								
	Trad (2) 20								
00613	口 30.17							𪛗 V-F1702	
	𪛗口繫								
	Trad 一 (1) 20								
00614	口 30.17						𪛗 UK-10778		
	𪛗口韃								
	Trad 一 (1) 20								
00615	口 30.17		𪛗 KC-07388						
	𪛗嗎我								
	Trad 一 (1) 20								
00616	口 30.17		𪛗 KC-07915						k data corrected, irg50.
	𪛗鋤𪛗口匕								
	Trad ㄣ (3) 20								
00617	口 30.18						𪛗 UK-10719		
	𪛗口擺								
	Trad 一 (1) 21								
00624	口 30.18							𪛗 V-F12FD	
	𪛗口甕								
	Trad ㄣ (4) 21								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00618	□ 30.18							𦧵 V-F1708	
	□ □ 謨								
	Trad ㄟ (4) 21								
00620	□ 30.19						攀 UK-10485		
	□ □ 攀								
	Trad 一 (1) 22								
00622	□ 30.19						贏 UK-10345		
	□ □ 贏								
	Trad ㄟ (4) 22								
00621	□ 30.19						鸚 UK-10663		
	□ □ 鸚								
	Trad 一 (1) 22								
00619	□ 30.19		𦧵 KC-07389						k data corrected, irg50.
	□ 莫 莫								
	Trad 一 (1) 22								
00625	□ 30.20							𦧵 V-F170D	
	□ □ 競								
	Trad ㄟ (4) 23								
00638	□ 30.20						聽 UK-10679		
	□ □ 聽								
	Trad 乙 (5) 23								
00623	□ 30.20							𦧵 V-F170E	
	□ □ 蘊								
	Trad (2) 21								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00627	□ 30.21		 KC-07390						
	□ 單								
	Trad (2) 24								
00626	□ 30.21							 V-F08C9	
	□ 器重								
	Trad (2) 24								
00639	□ 30.21						 UK-10242		
	□ 晉 □ 余 呂								
	Trad — (1) 24								
00628	□ 30.24							 V-F12FE	
	□ □ 免 □ 免 免								
	Trad / (3) 24								
00642	□ 31.4						 UK-10984		
	□ □ 书								
	Simp 乙 (5) 7								
00643	□ 31.5	 GZ-0151601							
	□ □ 包								
	Trad / (3) 8								
00646	□ 31.6	 GPGLG-1007							
	□ □ 关								
	Simp 、 (4) 9								
00647	□ 31.6	 GZ-3861101							
	□ □ 农								
	Simp 、 (4) 9								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00644	□ 31.6							 V-F1773	
	□ □ 虫								
	Trad (2) 9								
00645	□ 31.6			 USAT07064					
	□ □ 𠂔								
	Trad 丿 (3) 9								
00648	□ 31.7	 GZ-0101409							
	□ 比回								
	Trad 一 (1) 10								
00649	□ 31.7	 GZ-2292504							
	□ □ 谷								
	Trad 丿 (3) 10								
00651	□ 31.8						 UK-10200		
	□ □ □ 𠂔								
	Trad 乙 (5) 11								
00652	□ 31.8						 UK-10522		
	□ □ 录								
	Trad 乙 (5) 11								
00650	□ 31.8					 UTC-02996			
	□ □ 昏								
	Trad 丿 (3) 11								
00653	□ 31.9	 GHC-00034				 UTC-03150			unifies 00654, irg50.
	□ □ 巷								
	Trad 一 (1) 12								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00655	□ 31.9						 UK-10327		
	▣ □ 扁								
	Trad 丿 (4) 12								
00656	□ 31.11	 GXM-00076							
	▣ 不 圆								
	Simp 一 (1) 14								
04998	± 32.2				 T13-2E36				moved to ws2017, irg50. U+7528 用, add to ivd, irg48.
	▣ 冂 土								
	Trad 丿 (3) 5								
00658	± 32.3		 KC-07787						
	▣ 土 兀								
	Trad 一 (1) 6								
00657	± 32.3	 GDM-00200				 UTC-02997			unifies 00659, not unified to U+5732, irg50.
	▣ 土 干								
	Simp 一 (1) 6								
00660	± 32.3							 V-F1DB1	not unified to 00693, irg51.
	▣ 𡵓 土								
	Trad 乙 (5) 6								
00666	± 32.4					 UTC-02983			
	▣ 土 仓								
	Trad 丿 (3) 7								
00665	± 32.4		 KC-07393						
	▣ 土 公								
	Trad 丿 (3) 7								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00667	土 32.4					垓 UTC-02991			not unified to U+2BB5B., IRG 52. unified to U+2BB5B 𡗗土天, irg50.
	𡗗土天								
	ノ (3) 7								
00662	土 32.4						埆 UK-10881		
	𡗗土少								
	(2) 7								
00663	土 32.4	垓 GDM-00020							
	𡗗化土								
	ノ (3) 7								
00668	土 32.4	垓 GDM-00021							
	𡗗文土								
	、 (4) 7								
00679	土 32.5						埕 UK-10873		
	𡗗土仝								
	ノ (3) 8								
00675	土 32.5					埕 UTC-03022			
	𡗗土凸								
	(2) 8								
00674	土 32.5						埕 UK-10948		
	𡗗土只								
	(2) 8								
00683	土 32.5	埕 GDM-00205							
	𡗗土圣								
	乙 (5) 8								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00678 Simp	± 32.5	埃 GDM-00204				埃 UTC-02990			unifies 00681, irg50.
	𠂔土处								
	ノ (3) 8								
00661 Trad	± 32.5	𡗗 GDM-00019							
	𠂔土巨								
	一 (1) 8								
00670 Simp	± 32.5	𡗗 GDM-00022					𡗗 UK-10849		not unified to u+2134c, irg51. unifies 00672, irg50.
	𠂔土戈								
	一 (1) 8								
00682 Trad	± 32.5							埃 V-F06F0	
	𠂔土边								
	乙 (5) 8								
00676 Trad	± 32.5							埃 V-F0746	
	𠂔土全								
	ノ (3) 8								
00677 Trad	± 32.5	埃 GDM-00003							
	𠂔外土								
	ノ (3) 8								
00680 Simp	± 32.5						埃 UK-10999		
	𠂔尔土								
	ノ (3) 8								
00671 Trad	± 32.5		埃 KC-07394						
	𠂔玉土								
	一 (1) 8								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00673	土 32.5						 UK-10178		not unified to U+21D0D, irg50.
	𡗗 山一王								
	Trad (2) 8								
00691	土 32.6							 V-F1DC3	Radical kept as 32 (土) as no response from Vietnam., IRG 52.
	𡗗 𡗗 丌 坚								
	Simp (2) 9								
00694	土 32.6		 KC-07395						
	𡗗 土任								
	Trad 丿 (3) 9								
00684	土 32.6	 GDM-00023							
	𡗗 土再								
	Trad 一 (1) 9								
00699	土 32.6					 UTC-03011			
	𡗗 土冲								
	Trad 丶 (4) 9								
00692	土 32.6					 UTC-03015			
	𡗗 土劣								
	Trad (2) 9								
00686	土 32.6	 GDM-00025					 UK-10983		unifies 00689, irg50
	𡗗 土匡								
	Trad 一 (1) 9								
00685	土 32.6	 GDM-00024				 UTC-03000			unifies 00690, irg50.
	𡗗 土在								
	Trad 一 (1) 9								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00688	土 32.6						埭 UK-10924		
	𡇗 土 夺								
	一 (1) 9								
00695	土 32.6						埭 UK-10956		
	𡇗 土 色								
	ノ (3) 9								
00696	土 32.6							垠 V-F0C67	
	𡇗 土 衣								
	、 (4) 9								
00693	土 32.6							坐 V-F0870	not unified to 00660, irg51.
	𡇗 𡇗 𡇗 𡇗 𡇗 土								
	ノ (3) 9								
00687	土 32.6		耄 KC-07396						
	𡇗 老 土								
	一 (1) 9								
00710	土 32.7					埭 UTC-03034			
	𡇗 土 𡇗 𡇗 工								
	、 (4) 10								
00711	土 32.7					埭 UTC-03035			Not unified to 埭 U+2A8EF, IRG 52. pending unified to U+2A8EF, irg51.
	𡇗 土 冫								
	、 (4) 10								
00704	土 32.7	垠 GDM-00175							
	𡇗 土 困								
	(2) 10								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00705	± 32.7	埡 GDM-00026					埡 UK-10812		unifies 00708, irg50.
	𡗗 土 妥								
	ノ (3) 10								
00715	± 32.7						埢 UK-10895		
	𡗗 土层								
	乙 (5) 10								
00701	± 32.7					埣 UTC-03024			
	𡗗 土 巫								
	一 (1) 10								
00706	± 32.7	埤 GDM-00176	埤 KC-07398						unifies 00707, irg50.
	𡗗 土 希								
	ノ (3) 10								
00702	± 32.7					埤 UTC-03049			
	𡗗 土 来								
	一 (1) 10								
00703	± 32.7					埤 UTC-03059			
	𡗗 土 贡								
	一 (1) 10								
00709	± 32.7	埤 GDM-00028				埤 UTC-03071			unifies 00712, irg50.
	𡗗 土 间								
	、 (4) 10								
00835	± 32.7			𡗗 USAT08978					R=32±, IRG 52.
	𡗗 土 𡗗								
	(2) 10								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00713	± 32.7						壘 UK-10261		
	𡵓 邵土								
	乙 (5) 10								
00700	± 32.7		壘 KC-07397						
	𡵓 夾土								
	一 (1) 10								
00714	± 32.7						埕 UK-10578		
	𡵓 土水土								
	乙 (5) 10								
00733	± 32.8						塚 UK-10882		
	𡵓 土 𡵓 六 𡵓 𡵓								
	、 (4) 11								
00724	± 32.8							塹 V-F1792	
	𡵓 土使								
	ノ (3) 11								
00717	± 32.8						塚 UK-10785		
	𡵓 土來								
	一 (1) 11								
00719	± 32.8	塹 GDM-00029							
	𡵓 土国								
	(2) 11								
00726	± 32.8	埕 GZ-0451301							
	𡵓 土岳								
	ノ (3) 11								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00722	土 32.8						埤 UK-10942		
	𡗗 土忠								
	Trad (2) 11								
00729	土 32.8						埤 UK-10902		
	𡗗 土昏								
	Trad 丿 (3) 11								
00731	土 32.8					埤 UTC-03063			
	𡗗 土肴								
	Trad 丿 (3) 11								
00725	土 32.8						埤 UK-10890	埤 V-F1796	unifies 00728, irg50.
	𡗗 土舍								
	Trad 丿 (3) 11								
00721	土 32.8						埤 UK-10904		
	𡗗 土败								
	Simp (2) 11								
00834	土 32.8						埤 UK-10621		
	𡗗 土阿								
	Trad 乙 (5) 11								
00723	土 32.8					埤 UTC-03037			
	𡗗 土非								
	Trad (2) 11								
00718	土 32.8							埤 V-F17A2	
	𡗗 坚卞								
	Simp (2) 11								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00720	土 32.8						皇 UK-10172		
	𠩺𠩺ト日八土								
	Trad (2) 11								
00727	土 32.8		堡 KC-07399						
	𠩺侃土								
	Trad ノ (3) 11								
00716	土 32.8						奎 UK-10160		
	𠩺奔土								
	Trad 一 (1) 11								
00698	土 32.8		埜 KC-07211						
	𠩺并土								
	Trad 、 (4) 11								
00732	土 32.8	埜 GZ-4632102							
	𠩺社土								
	Trad 、 (4) 11								
00730	土 32.8					埜 UTC-03014			
	𠩺拜土								
	Trad ノ (3) 11								
00735	土 32.9						埜 UK-10913		
	𠩺土刺								
	Trad 一 (1) 12								
00754	土 32.9					埜 UTC-03064			
	𠩺土勇								
	Trad 乙 (5) 12								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00753	± 32.9						塼 UK-10796		
	□土段								
	Trad 乙 (5) 12								
00741	± 32.9						塼 UK-10822		
	□土幽								
	Trad (2) 12								
00749	± 32.9		墀 KC-07967						
	□土庠								
	Trad 、 (4) 12								
00743	± 32.9	墀 GDM-00034							
	□土急								
	Trad ノ (3) 12								
00747	± 32.9	墀 GDM-00035							
	□土总								
	Simp 、 (4) 12								
00738	± 32.9							墀 V-F1799	
	□土昨								
	Trad (2) 12								
00739	± 32.9							墀 V-F179C	
	□土虐								
	Trad (2) 12								
00742	± 32.9						墀 UK-10884		
	□土览								
	Simp (2) 12								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00746	土 32.9	塙 GDM-00031				塙 UTC-03009			unifies 00750, irg50.
	𠩺 土 郎								
	Trad 丿 (4) 12								
00734	土 32.9	埤 GDM-00032							
	𠩺 土 革								
	Trad 一 (1) 12								
00736	土 32.9					埤 UTC-03032			
	𠩺 土 季								
	Trad 一 (1) 12								
00740	土 32.9							𠩺 V-F17A3	
	𠩺 堅 永								
	Simp (2) 12								
00767	土 32.9						𠩺 UK-10186		
	𠩺 漚 土								
	Trad 丿 (4) 12								
00745	土 32.9						𠩺 UK-10843		
	𠩺 秋 土								
	Trad 丿 (3) 12								
00752	土 32.9						隆 UK-10253		
	𠩺 降 土								
	Trad 乙 (5) 12								
00737	土 32.9							墨 V-F0355	not unified to U+58A8, but add ucv as components, irg51
	𠩺 里 八 土								
	Trad (2) 12								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00758	土 32.10	壘 GDM-00038					壘 UK-10914		unifies 00762, irg50.
	𡗗土田令								
	(2) 13								
00755	土 32.10	壚 GDM-00207							
	𡗗土唇								
	— (1) 13								
00771	土 32.10	壚 GDM-00037							
	𡗗土套								
	— (1) 13								
00768	土 32.10					壚 UTC-03046			
	𡗗土恋								
	、 (4) 13								
00761	土 32.10						壚 UK-10908		
	𡗗土晃								
	(2) 13								
00765	土 32.10						壚 UK-10886		
	𡗗土皋								
	ノ (3) 13								
00756	土 32.10						壚 UK-10404		
	𡗗土聂								
	— (1) 13								
00763	土 32.10						壚 V-F1777		
	𡗗土脈								
	ノ (3) 13								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00759	土 32.10	墟 GZA-621697							
	𡇗 土 慮								
	Simp (2) 13								
00760	土 32.10						墟 UK-10577		
	𡇗 土 虔								
	Trad (2) 13								
00766	土 32.10					壞 UTC-03033			not unified to u+21469, irg51.
	𡇗 土 裊								
	Simp 丿 (3) 13								
00769	土 32.10	退 GDM-00206							
	𡇗 土 退								
	Trad 乙 (5) 13								
00757	土 32.10	增 GDM-00033							
	𡇗 土 骨								
	Trad (2) 13								
00764	土 32.10						壘 UK-10442		
	𡇗 翁 土								
	Trad 丿 (3) 13								
00775	土 32.11						塹 UK-10198		
	𡇗 土 𡇗 业 ?								
	Trad (2) 14								
00777	土 32.11							塹 V-F177A	
	𡇗 土 彫								
	Trad 丿 (3) 14								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00779	土 32.11	埧 GDM-00040				埧 UTC-03069			unifies 00781, irg50.
	𡇗 土 埧								
	ノ (3) 14								
00778	土 32.11							埧 V-F177B	
	𡇗 土 埧								
	ノ (3) 14								
00776	土 32.11					埧 UTC-03027			
	𡇗 土 埧								
	(2) 14								
00780	土 32.11					埧 UTC-03016			
	𡇗 土 埧								
	ノ (3) 14								
00772	土 32.11			埧 USAT04700					
	𡇗 土 埧								
	一 (1) 14								
00770	土 32.11							在 V-F06E2	
	𡇗 在於								
	一 (1) 14								
00774	土 32.11		規 KC-07401						unifies 00796, irg51.
	𡇗 規 土								
	一 (1) 14								
00782	土 32.11		郭 KC-07214						
	𡇗 郭 土								
	、 (4) 14								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00784	土 32.12	塼 GXM-00404							
	□□土耳其								
	一 (1) 15								
00798	土 32.12		堤 KC-07215						
	□土寔								
	、 (4) 15								
00789	土 32.12	塹 GZ-3371301							
	□土悶								
	(2) 15								
00786	土 32.12			塔 USAT05658					
	□土替								
	一 (1) 15								
00788	土 32.12	塚 GDM-00043					塚 UK-10824		unifies 00790, irg50.
	□土最								
	(2) 15								
00791	土 32.12						壑 UK-10957		
	□土紫								
	(2) 15								
00801	土 32.12						墳 V-F177C		
	□土費								
	乙 (5) 15								
00795	土 32.12		壘 KC-07216						
	□土進								
	ノ (3) 15								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00792	土 32.12						堦 UK-10958		
	𡗗 土黑								
	Trad (2) 15								
00793	土 32.12							𡗗 V-F09FA	
	𡗗 坐卧								
	Trad 丿 (3) 15								
00794	土 32.12	𡗗 GZ-4312101							
	𡗗 垂弄								
	Trad 丿 (3) 15								
00787	土 32.12						𡗗 UK-10300		
	𡗗 石豕土								
	Trad 一 (1) 15								
00785	土 32.12	𡗗 GPGLG-4012							
	𡗗 坏厓								
	Simp 一 (1) 15								
00802	土 32.12					𡗗 UTC-03085			
	𡗗 嬭土								
	Trad 乙 (5) 15								
00800	土 32.12		𡗗 KC-07405						
	𡗗 就土								
	Trad 丶 (4) 15								
00783	土 32.12	𡗗 GDM-00042							
	𡗗 晶土								
	Trad (2) 15								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00799	土 32.12		墩 KC-07404						
	𡗗 土育父								
	Trad 𠂇 (4) 15								
00810	土 32.13					壩 UTC-03066			
	𡗗 土廉								
	Trad 𠂇 (4) 16								
00808	土 32.13							墩 V-F177E	
	𡗗 土数								
	Simp 𠂇 (4) 16								
00806	土 32.13					壩 UTC-03060			
	𡗗 土解								
	Trad 𠂇 (3) 16								
00805	土 32.13							壩 V-F1321	
	𡗗 土路								
	Trad (2) 16								
00803	土 32.13							壩 V-F1780	
	𡗗 土遁								
	Trad 一 (1) 15								
00809	土 32.13			漚 USAT05201					
	𡗗 害土								
	Trad 𠂇 (4) 16								
00804	土 32.13					壩 UTC-02992			
	𡗗 敬土								
	Trad 一 (1) 16								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00818	土 32.14						壠 UK-10232		
	□土□产佳								
	、 (4) 17								
00812	土 32.14						壠 UK-10825		
	□土兢								
	— (1) 17								
00816	土 32.14							壕 V-F1783	
	□土察								
	、 (4) 17								
00817	土 32.14		壠 KC-07406						
	□土實								
	、 (4) 17								
00814	土 32.14						壕 UK-10755		
	□土裴								
	(2) 17								
00819	土 32.14		壠 KC-08339						
	□土遲								
	乙 (5) 17								
00815	土 32.14							壕 V-F1D3F	
	□土銀								
	ノ (3) 17								
00811	土 32.14		壠 KC-07218						
	□土靜								
	— (1) 17								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00813	土 32.14							𡵓 𡵓 V-F17A1	
	𡵓 𡵓 𡵓								
	(2) 17								
00821	土 32.15							𡵓 𡵓 V-F1328	
	𡵓 土 𡵓								
	乙 (5) 17								
00820	土 32.15							𡵓 𡵓 V-F1786	
	𡵓 土 𡵓								
	(2) 18								
00822	土 32.16							𡵓 𡵓 V-F1768	
	𡵓 呂 報								
	(2) 19								
00825	土 32.16							𡵓 𡵓 V-F1788	
	𡵓 土 𡵓								
	ノ (3) 19								
00823	土 32.17							𡵓 𡵓 V-F1789	
	𡵓 土 𡵓								
	(2) 20								
00826	土 32.17						𡵓 UK-10231		
	𡵓 𡵓 𡵓 𡵓 𡵓 𡵓 𡵓								
	、 (4) 20								
00828	土 32.18						𡵓 UK-10788		
	𡵓 斷 土								
	乙 (5) 21								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00829	土 32.19		壩 KC-07970						
	𡗗 土 燮								
	Trad 丿 (4) 22								
00830	土 32.20		壩 KC-07409						
	𡗗 勸 土								
	Trad 一 (1) 23								
00831	土 32.21						壩 UK-10297		
	𡗗 土 灌								
	Trad 丿 (4) 24								
00832	土 32.23							壩 V-F090B	
	𡗗 土 爰								
	Trad 乙 (5) 26								
00833	土 32.24						壩 UK-10811		
	𡗗 土 靈								
	Trad 一 (1) 27								
00837	土 33.12							𡗗 V-F17B0	
	𡗗 声 卒								
	Simp 乙 (5) 15								
00839	土 33.19							𡗗 V-F17B1	
	𡗗 声 察								
	Simp 乙 (5) 21								
00840	久 34.5	𡗗 GZ-2822301							
	𡗗 久 令								
	Trad 丿 (3) 9								

IRGN2385WS2017v4.0WorkingSet

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00841	𠂔 35.8							𠂔 V-F0ABD	
	𠂔&H8-01;𠂔								
	一 (1) 11								
00842	𠂔 35.10							𠂔 V-F01FA	not unified to U+21570, irg51.
	𠂔𠂔𠂔𠂔𠂔𠂔𠂔𠂔								
	乙 (5) 13								
00843	𠂔 35.12						𠂔 UK-10092		
	𠂔𠂔𠂔𠂔𠂔𠂔𠂔								
	(2) 15								
00844	夕 36.2						𠂔 UK-10240		
	𠂔夕刀								
	乙 (5) 5								
00845	夕 36.10							𠂔 V-F166D	
	𠂔余多								
	ノ (3) 13								
00846	夕 36.11							𠂔 V-F1C40	
	𠂔宜多								
	、 (4) 14								
00847	夕 36.12							𠂔 V-F011C	
	𠂔夜店								
	、 (4) 16								
00848	夕 36.14							𠂔 V-F1B6A	
	𠂔覓多								
	ノ (3) 17								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00849	夕 36.17							𪔐 V-F07AC	
	𠂇𠂇𠂇𠂇 𠂇堯多								
	(2) 20								
00850	夕 36.25		𪔐 KC-07972						k data corrected, irg50.
	𠂇厭夢								
	— (1) 28								
00851	大 37.4	𪔐 GDM-00044							
	𠂇大小								
	(2) 7								
00852	大 37.4					𪔐 UTC-03055			not unified to U+230D9, irg50.
	𠂇大方								
	、 (4) 7								
00853	大 37.5							𪔐 V-F175D	
	𠂇可大								
	— (1) 8								
00854	大 37.6						𪔐 UK-10870		
	𠂇大尖								
	(2) 9								
00861	大 37.7	𪔐 GZA-624875							
	𠂇夹及								
	、 (4) 10								
00856	大 37.7							𪔐 V-F1DA8	
	𠂇弄大								
	— (1) 10								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00859	大 37.7			僣 USAT09156					
	𠄎𠄎イ 支大								
	ノ (3) 10								
00857	大 37.7	𠄎 GXM-00299							
	𠄎別大								
	(2) 10								
00860	大 37.7							奢 V-F1D41	
	𠄎大吝								
	、 (4) 10								
00858	大 37.7					𠄎 UTC-03052			
	𠄎大男								
	(2) 10								
00863	大 37.9							𠄎 V-F17BF	
	𠄎天例								
	一 (1) 12								
00864	大 37.9						𠄎 UK-10996		
	𠄎天怕								
	一 (1) 12								
00866	大 37.10							𠄎 V-F17BB	
	𠄎大郎								
	、 (4) 11								
00867	大 37.11							𠄎 V-F17C2	
	𠄎夾劫								
	ノ (3) 14								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00865	大 37.11		𪛗 KC-07789						k data corrected, irg50.
	𠄎既大								
	Trad 乙 (5) 14								
00868	大 37.12			𪛘 USAT06603					
	𠄎卓牵								
	Trad 一 (1) 15								
00869	大 37.13						𪛙 UK-10664		
	𠄎夸晏								
	Trad 一 (1) 16								
00870	大 37.14							𪛚 V-F1D54	
	𠄎蓋大								
	Trad (2) 17								
00871	大 37.16							𪛛 V-F0125	
	𠄎大𩺰								
	Trad 丿 (3) 19								
00872	大 37.19		𪛜 KC-07790						
	𠄎𠄎糸車糸大								
	Trad 丿 (3) 22								
00873	大 37.19							𪛝 V-F17BD	
	𠄎大懶								
	Trad 丶 (4) 22								
00874	女 38.1						𪛞 UK-10152		
	𠄎女一								
	Trad 一 (1) 4								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00875	女 38.2	妣 GXM-00091							not unified to U+216AB or U+216AD, irg50.
	𡥉 女儿								
	ノ (3) 5								
00876	女 38.2							姦 V-F1CE6	
	𡥉 女𠂔								
	乙 (5) 5								
00877	女 38.3	姤 GXM-00023							
	𡥉 女与								
	一 (1) 6								
00878	女 38.3	姁 GXM-00269							
	𡥉 女门								
	丶 (4) 6								
00879	女 38.3	姁 GXM-00022							
	𡥉 女飞								
	乙 (5) 6								
00883	女 38.4	姁 GXM-00350							
	𡥉 女仑								
	ノ (3) 7								
00884	女 38.4	姁 GZ-2481402							
	𡥉 女午								
	ノ (3) 7								
00880	女 38.4							𡥉 V-F1D88	not unified to U+8097, irg51.
	𡥉 女								
	一 (1) 7								

SN	Attributes	G	K	USAT	T	UTC	UK	V	Discussion Record
00881	女 38.4	妾 GXM-00092							
	𠤎不女								
	Trad 一 (1) 7								
00882	女 38.4	嬖 GZ-3962101						嬖 V-F1DAD	unifies 00885, irg50.
	𠤎仍女								
	Trad 丿 (3) 7								
00886	女 38.5	妒 GZ-2902501						妒 V-F1D75	unifies 00887, irg50.
	𠤎女卢								
	Trad (2) 8								
00889	女 38.5		姻 KC-07412						
	𠤎女四								
	Trad (2) 8								
00890	女 38.5	姪 GDM-00046							not unified to U+2BC1B, irg50.
	𠤎女圣								
	Trad 乙 (5) 8								
00892	女 38.6	姻 GXM-00093							
	𠤎女囧								
	Trad (2) 9								
00898	女 38.6			姪 USAT08624					
	𠤎女宇								
	Trad 、 (4) 9								
00893	女 38.6	姒 GXM-00352					姒 UK-10655		unifies 00895, not unified to U+2A968, irg50.
	𠤎女臼								
	Trad 丿 (3) 9								