

## IRGN2481 Proposal to add new UCV rules

Source: Henry Chan, Eiso Chan, Yi Bai

Status: Individual Contribution

Action: To be considered by IRG

Date: 2021-09-05

Pages: 43

### Introduction

The document proposes a number of additions to the Unifiable Component Variations (UCV) list to better handle historical variants.

### Methodology

Characters which appeared in multiple Ideographic Description Sequences (IDS) were selected for analysis. The IDS used is hosted at <https://github.com/hfhchan/ids>. A list of variants for each character were extracted from various sources, including the online MOE Variants Dictionary version 6 (《教育部異體字字典》(正式六版)) and other reference materials. Tables of the variant characters linked to the canonical forms were generated manually based on the extracted data.

#### Item 1

Unify the following shapes:

鹿鹿

#### Item 2

Unify the following shapes:

辰辰辰辰

#### Item 3

Unify the following shapes:

𦰩𦰩𦰩𦰩𦰩𦰩𦰩𦰩𦰩𦰩𦰩

#### Item 4

Unify the following shapes:

𠂔𠂔𠂔𠂔𠂔𠂔𠂔𠂔  
𠂔𠂔𠂔𠂔

An additional requirement that the character should be etymologically related to 𠂔 should be added, as characters with the shape of 𠂔, 𠂔, 𠂔 and 𠂔 may use 𠂔 as its phonetic component instead of 𠂔. Please also refer to the document *IRGN2474 Feedback: Proposal to update IRG PnP for Non-cognate and UCV handling*.

#### Item 5a

Unify the following shapes:

𦰪𦰪𦰪𦰪𦰪𦰪𦰪𦰪

**Item 5b**

Unify the following shapes:

滿滿滿滿滿  
滿滿滿  
滿滿滿滿滿滿滿  
滿滿滿滿滿滿

**Item 6**

Unify the following shapes:

詹詹詹詹詹詹詹  
詹詹詹  
詹詹詹  
詹詹詹詹

**Item 7**

Unify the following shapes:

奂奂奂奂奂  
奂奂奂奂

**Item 8**

Unify the following shapes:

并并并

**Item 9a**

Unify the following shapes:

萑萑萑萑  
萑萑萑  
萑萑萑萑

**Item 9b**

Unify the following shapes:

萑萑萑

Data for Item 1

鹿鹿

Here is a list of variants which use the 鹿 shape and have identical semantics with another glyph using the "鹿" shape. 4 out of 20 glyphs are coded, all in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪛈	A04752-001	U+22256	鹿	U+9E7F
𪛉	B01390-003	(not encoded)	𪛉	U+645D
𪛊	C05340-001	(not encoded)	𪛊	U+6A1A
𪛋	B02235-001	(not encoded)	𪛋	U+6F09
𪛌	C06818-001	(not encoded)	𪛌	U+719D
𪛍	B04367-001	U+27433	𪛍	U+87B0
𪛎	B04946-001	U+2812D	𪛎	U+8E57
𪛏	B05039-005	(not encoded)	𪛏	U+8F46
𪛐	A04343-003	(not encoded)	𪛐	U+93D5
𪛑	C08850-001	(not encoded)	𪛑	U+40D9
𪛒	A00804-027	(not encoded)	𪛒	U+5875
𪛓	B00978-001	(not encoded)	鹿	U+5ED8
𪛔	B03250-002	(not encoded)	𪛔	U+7C0F
𪛕	B06230-007	(not encoded)	𪛕	U+9E81
𪛖	B04018-001	(not encoded)	𪛖	U+850D
𪛗	B05183-003	U+28767	𪛗	U+911C
𪛘	A04343-002	(not encoded)	𪛘	U+93D6

Variant	Edu Code	Codepoint	Related Character	Codepoint
麤	B06213-003	(not encoded)	麤	U+2A29B
𪚦	A04753-005	(not encoded)	𪚦	U+2A28B
麤	A04753-003	(not encoded)	麤	U+9E82

(Total 20 glyphs)

Data for Item 2

辰辰辰辰

At least 100 characters containing the "辰" component were found in IDS. Due to time constraints only 50 characters were checked.

Here is a non-exhaustive list of variants which use the "辰" shape and have identical semantics with another glyph using the "辰" shape. 3 out of 52 characters are coded: 2 in Extension B and 1 in Extension F.

Variant	Edu Code	Codepoint	Related Character	Codepoint
辰	A04109-005	U+2E77E*	辰	U+8FB0
宸	A01031-005	(not encoded)	宸	U+5BB8
辱	A04110-003-1	(not encoded)	辱	U+8FB1
愿	A04110-003-3	(not encoded)	愿	U+227F2
愿	A04110-003-2	(not encoded)	愿	U+226DA
惇	A04110-003-4	(not encoded)	惇	U+227F9
娠	A00933-004	(not encoded)	娠	U+5A20
薜	B03992-005	(not encoded)	薜	U+26E33
蓐	B03992-003	(not encoded)	蓐	U+84D0
啟	C04595-002	(not encoded)	啟	U+6550
敔	C04595-001	(not encoded)	敔	(not encoded)
欵	C05681-001	(not encoded)	欵	U+3C2E
殷	C05909-001	(not encoded)	殷	U+3C80
郈	C14572-001	(not encoded)	郈	U+48C5
脣	A03333-009	(not encoded)	脣	U+8123
頤	C16139-002	(not encoded)	頤	U+4AC3

Variant	Edu Code	Codepoint	Related Character	Codepoint
𦍋	C04051-001	(not encoded)	𦍋	U+229BF
𦍌	C17696-002	(not encoded)	𦍌	U+4CF2
𦍍	C17599-001	(not encoded)	𦍍	U+2A067
𦍎	B06162-004	(not encoded)	𦍎	U+2902D
𦍇	B06162-003	(not encoded)	𦍇	U+9DD0
𦍈	C03100-001	(not encoded)	𦍈	U+5E2A
𦍉	A01574-005	(not encoded)	𦍉	U+632F
𦍊	B01701-003	(not encoded)	𦍊	U+686D
𦍋	B02240-004	(not encoded)	𦍋	U+6D71
𦍌	B02240-003	(not encoded)	𦍌	U+6F18
𦍍	B03058-003	(not encoded)	𦍍	U+7973
𦍎	A03647-010	(not encoded)	𦍎	U+8703
𦍇	A03647-009	(not encoded)	𦍇	U+2748F
𦍈	A03647-011	(not encoded)	𦍈	U+2A4E7
𦍉	B04267-002	(not encoded)	𦍉	U+8704
𦍊	B04506-001	(not encoded)	𦍊	U+88D6
𦍋	B05059-001	(not encoded)	𦍋	U+8FB4
𦍌	C14941-001	(not encoded)	𦍌	U+92E0
𦍍	C15418-002	(not encoded)	𦍍	U+9659
𦍎	C01159-001	(not encoded)	𦍎	U+3598

Variant	Edu Code	Codepoint	Related Character	Codepoint
唇	B00330-002	U+20D67*	唇	U+5507
賑	C08336-001	(not encoded)	賑	U+403C
跟	C13944-001	(not encoded)	跟	U+47F4
賑	C10275-002	U+2605F*	賑	U+26044
俵	B00074-001	(not encoded)	俵	U+4FB2
晨	C02650-001	(not encoded)	晨	U+5C52
賑	B03656-001	(not encoded)	賑	U+8124
賑	A03959-002	(not encoded)	賑	U+8CD1
唇	A01803-009	(not encoded)	唇	U+3AF3
農	A01803-008	(not encoded)	農	U+66DF
審	C14349-001	(not encoded)	審	U+4888
晨	A01803-005	(not encoded)	晨	U+6668
農	A04111-011	(not encoded)	農	U+8FB2
徽	A04111-051	(not encoded)	徽	U+225A2
農	A04111-030	(not encoded)	農	U+8FB2
農	C11531-001	(not encoded)	農	U+8380

(Total 52 glyphs)

Here is a non-exhaustive list of variants which use the "辰" shape and have identical semantics with another glyph using the "辰" shape.

Variant	Edu Code	Codepoint	Related Character	Codepoint
娠	A00933-003	(not encoded)	娠	U+5A20
蓐	B03992-002	(not encoded)	蓐	U+84D0

Variant	Edu Code	Codepoint	Related Character	Codepoint
振	A01574-015	(not encoded)	振	U+632F
蜃	A03647-008	(not encoded)	蜃	U+8703
蠱	A03647-007	(not encoded)	蠱	U+2748F
蜎	B04267-001	(not encoded)	蜎	U+8704
脈	B03656-002	(not encoded)	脈	U+8124
賑	A03959-005	(not encoded)	賑	U+8CD1
蜎	A03647-006	(not encoded)	蜎	U+8704
晨	A01803-006	(not encoded)	晨	U+66DF

(Total 10 glyphs)

Here is a non-exhaustive list of variants which use the "辰" shape and have identical semantics with another glyph using the "辰" shape. 2 out of 22 characters are coded, 1 in Extension D while 2 in Extension F.

Variant	Edu Code	Codepoint	Related Character	Codepoint
辰	A04109-006	U+2B755*	辰	U+8FB0
宸	A01031-001	(not encoded)	宸	U+5BB8
宸	C09315-002	(not encoded)	宸	U+41A3
辱	A04110-004	U+2D531*	辱	U+8FB1
脣	A03333-013	(not encoded)	脣	U+8123
頤	C16139-001	(not encoded)	頤	U+4AC3
鵠	C17599-002	(not encoded)	鵠	U+2A067
鵠	B06162-002	(not encoded)	鵠	U+9DD0
帳	C03100-002	(not encoded)	帳	U+5E2A



Variant	Edu Code	Codepoint	Related Character	Codepoint
振	A01574-003	(not encoded)	振	U+632F
振	B01701-002	(not encoded)	振	U+686D
𧈧	A03647-015	(not encoded)	𧈧	U+F544A
𧈨	A03647-016	(not encoded)	𧈨	U+2A4E7
𧈩	C15418-001	(not encoded)	𧈩	U+9659
唇	B00330-001	(not encoded)	唇	U+5507
𧈪	C10275-001	(not encoded)	𧈪	U+26044
賑	A03959-001	(not encoded)	賑	U+8CD1
娠	A00933-005	(not encoded)	娠	U+5A20
農	A01803-011	(not encoded)	農	U+66DF
晨	A01803-003	(not encoded)	晨	U+6668
農	A04111-010	U+2D192*	農	U+8FB2
𧈫	C11531-002	(not encoded)	𧈫	U+8380

(Total 22 glyphs)

𣎵𣎵𣎵𣎵𣎵𣎵𣎵𣎵𣎵𣎵

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪗇	C05082-002	U+2DA60*	𪗇	U+67BC
𪗈	A00632-002	(not encoded)	𪗈	U+20FDA
𪗉	A00632-005	(not encoded)	𪗉	U+558B
𪗊	A02482-012	(not encoded)	𪗊	U+7252
𪗋	A02851-001	(not encoded)	𪗋	U+789F
𪗌	A03525-009	(not encoded)	𪗌	U+8449
𪗍	B00107-005	(not encoded)	𪗍	U+505E
𪗎	B00553-006	(not encoded)	𪗎	U+21462
𪗏	B00668-004	(not encoded)	𪗏	U+5A9F
𪗐	B01142-004	(not encoded)	𪗐	U+60F5
𪗑	B01344-003	(not encoded)	𪗑	U+63F2
𪗒	B01760-002	(not encoded)	𪗒	U+696A
𪗓	B01760-003	(not encoded)	𪗓	U+696A
𪗔	B02165-003	(not encoded)	𪗔	U+6E2B
𪗕	B02409-002	(not encoded)	𪗕	U+7160
𪗖	B03345-006	(not encoded)	𪗖	U+7DE4
𪗗	B03763-001	(not encoded)	𪗗	U+8253

Variant	Edu Code	Codepoint	Related Character	Codepoint
𦍋	B04529-003	(not encoded)	𦍋	U+890B
𦍌	B04529-004	(not encoded)	𦍌	U+27775
𦍍	B05991-002	(not encoded)	𦍍	U+9C08
𦍎	C00473-001	(not encoded)	𦍎	U+205E8
𦍇	C00606-001	(not encoded)	𦍇	U+2075D
𦍈	C04467-001	(not encoded)	𦍈	U+64DB
𦍉	C05857-008	(not encoded)	𦍉	U+6B9C
𦍊	C06488-003	(not encoded)	𦍊	U+3D69
𦍋	C08407-001	(not encoded)	𦍋	U+404B
𦍌	C08533-001	(not encoded)	𦍌	U+77B8
𦍍	C09665-003	(not encoded)	𦍍	U+420E
𦍎	C09971-002	(not encoded)	𦍎	U+25DD5
𦍇	C09971-003	(not encoded)	𦍇	(not encoded)
𦍈	C10075-001	(not encoded)	𦍈	U+25EC8
𦍉	C10989-003	(not encoded)	𦍉	U+4411
𦍊	C11251-006	(not encoded)	𦍊	U+445C
𦍋	C11962-003	(not encoded)	𦍋	U+4548
𦍌	C11962-005	(not encoded)	𦍌	U+26F36
𦍍	C12075-001-1	(not encoded)	𦍍	U+270F9
𦍎	C12095-002-1	(not encoded)	𦍎	U+27120

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪗇	C12491-001	(not encoded)	蝶	U+8802
𪗈	C12982-003	(not encoded)	𪗈	U+46A2
𪗉	C13296-001-1	(not encoded)	𪗉	U+4713
𪗊	C15143-001	(not encoded)	𪗊	U+9437
𪗋	C15148-001-1	(not encoded)	𪗋	U+4961
𪗌	C15857-003	(not encoded)	𪗌	U+97A2
𪗍	C15979-007	(not encoded)	𪗍	U+97D8
𪗎	C15979-008	(not encoded)	𪗎	U+5F3D
𪗏	C16034-001	(not encoded)	𪗏	U+29431
𪗐	C16476-002	(not encoded)	𪗐	U+4B4E
𪗑	C16535-001	(not encoded)	𪗑	U+4B5F
𪗒	C16698-001-1	(not encoded)	𪗒	U+4B9C
𪗓	C18107-003	(not encoded)	𪗓	U+2A467

(Total 50 glyphs)

Here is a list of variants which use the "𪗓" shape and have identical semantics with another glyph using the "𪗓" shape. No glyphs are encoded yet.

Variant	Edu Code	Codepoint	Related Character	Codepoint
蝶	A03658-002	(not encoded)	蝶	U+8776
𪗉	A03863-010	(not encoded)	𪗉	U+8ADC
𪗊	B00107-006	(not encoded)	𪗊	U+505E
𪗋	B00553-003	(not encoded)	𪗋	U+581E
𪗌	B00775-011	(not encoded)	𪗌	U+5C67

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪗇	B00775-012	(not encoded)	𪗇	U+5C5F
𪗈	B01142-005	(not encoded)	𪗈	U+22728
𪗉	B04930-004	(not encoded)	𪗉	U+8E40
𪗊	C05482-001	(not encoded)	𪗊	U+236FB
𪗋	C05857-006	(not encoded)	𪗋	U+23A68
𪗌	C05857-009	(not encoded)	𪗌	(not encoded)
𪗍	C14437-001	(not encoded)	𪗍	U+48A1
𪗎	C15019-005-1	(not encoded)	𪗎	U+9371

(Total 13 glyphs)

Here is a list of variants which use the "𪗇" or "𪗈" shape and have identical semantics with another glyph using the "𪗇" shape. No glyphs are encoded yet.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪗏	A03863-009	(not encoded)	𪗏	U+8ADC
𪗐	A00632-003	(not encoded)	𪗐	U+558B
𪗑	A03658-004	(not encoded)	𪗑	U+8776
𪗒	B00107-004	(not encoded)	𪗒	U+505E
𪗓	B00553-004	(not encoded)	𪗓	U+581E
𪗔	B00668-005	(not encoded)	𪗔	U+5A9F
𪗕	B01344-002	(not encoded)	𪗕	U+63F2
𪗖	B02409-003	(not encoded)	𪗖	U+7160

(Total 8 glyphs)

Here is a list of variants which use the "𪗇" shape and have identical semantics with another glyph using the "𪗇" shape. 9 out of 15 glyphs are encoded, all are in Extension B. Many of these

characters were written as "茱" in the original source from 《龍龕手鑑》 but changed to 某 in later texts.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𦵒	A02482-009	(not encoded)	𦵒	U+7252
𦵓	A03525-002	(not encoded)	𦵓	U+8449
𦵔	A03863-001	U+27A5C	𦵔	U+8ADC
𦵕	A03863-003	(not encoded)	𦵕	(not encoded)
𦵖	B01142-003	(not encoded)	𦵖	U+60F5
𦵗	B02165-004	(not encoded)	𦵗	U+6E2B
𦵘	B04930-002	U+2808F	𦵘	U+8E40
𦵙	B05991-001	U+29E0F	𦵙	U+9C08
𦵚	C10989-002	U+2672A	𦵚	U+4411
𦵛	C11251-001	U+269E4	𦵛	U+445C
𦵜	C12982-002	U+27908	𦵜	U+46A2
𦵝	C14437-002	U+2850B	𦵝	U+48A1
𦵞	C15979-003	U+223FC	𦵞	U+5F3D
𦵟	C15979-010	(not encoded)	𦵟	U+97D8
𦵠	C18107-002	U+2A45E	𦵠	U+2A467

(Total 15 glyphs)

Here is a list of variants which use the "茱" shape and have identical semantics with another glyph using the "葉" shape.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𦵡	A03525-030	(not encoded)	𦵡	U+8449

Variant	Edu Code	Codepoint	Related Character	Codepoint
𧈧	A03658-005	(not encoded)	𧈧	U+8776
𧈨	B04930-003	U+28148	𧈨 𧈩 葉	(not encoded)







(Total 3 glyphs)

Here is a list of variants which use the "𧈧" shape and have identical semantics with another glyph using the "葉" shape. 23 out of 37 glyphs are encoded, all are in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𧈪	A02482-001	U+245CA	𧈪	U+7252
𧈫	A03525-004	(not encoded)	葉	U+8449
𧈬	A03525-013	(not encoded)	葉	U+8449
𧈭	A03658-008	(not encoded)	𧈭	U+8776
𧈮	A03863-002	U+27A2F	𧈮	U+8ADC
𧈯	B00107-002	U+2026A	𧈯	U+505E
𧈰	B00553-001	U+21355	𧈰	U+581E
𧈱	B00553-005	(not encoded)	𧈱	U+21462
𧈲	B00668-002	U+21765	𧈲	U+5A9F
𧈳	B01142-001	U+226D0	𧈳	U+60F5
𧈴	B01344-001	U+22B95	𧈴	U+63F2
𧈵	B01760-004	(not encoded)	𧈵	U+696A
𧈶	B02165-001	U+3CFF	𧈶	U+6E2B
𧈷	B02409-001	U+2426C	𧈷	U+7160







Variant	Edu Code	Codepoint	Related Character	Codepoint
綵	B03345-002	U+2605B	縹	U+7DE4
褫	B04529-001	U+276A6	褫	U+890B
踪	B04930-001	U+2807B	蹠	U+8E40
鯨	B05991-004	(not encoded)	鰈	U+9C08
凜	C00473-003	(not encoded)	凜	U+205E8
剝	C00606-003	(not encoded)	剝	U+2075D
殍	C05857-001	U+23A1A	殍	U+6B9C
殍	C05857-002	U+23A63	殍	U+23A68
藻	C06488-004	(not encoded)	藻	U+3D69
腴	C10989-001	U+26708	腴	U+4411
𪚩	C11251-002	U+269E2	𪚩	U+445C
𪚩	C11251-007	(not encoded)	𪚩	U+445C
藤	C11962-001	U+26EAF	藤	U+4548
鯨	C12982-001	U+27907	鰈	U+46A2
逵	C14437-003	(not encoded)	逵	U+48A1
銖	C15019-003	U+289F2	銖	U+9371
鑠	C15019-004	U+28B18	鑠	U+9437
鞞	C15857-001	U+292D1	鞞	U+97A2
鞞	C15857-004	(not encoded)	鞞	U+97A2
弼	C15979-002	U+223F2	弼	U+5F3D



Variant	Edu Code	Codepoint	Related Character	Codepoint
	C15979-011	(not encoded)		U+97D8
	C16535-002	(not encoded)		U+4B4E
	C18107-001	U+2A458		U+2A467









(Total 37 glyphs)

Here is a list of variants which use the "𣎵" shape and have identical semantics with another glyph using the "𣎵" shape. 1 out of 3 glyphs are encoded, all are in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A03863-004	(not encoded)		(not encoded)
	C11962-004	(not encoded)		U+4548
	C15979-006	U+293C1		U+97D8

(Total 3 glyphs)

Here is a list of variants which use the "𣎵" shape and have identical semantics with another glyph using the "𣎵" shape. 2 out of 4 glyphs are encoded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
	C05082-001	U+67BD		U+67BC
	A03525-001	U+26DAB		U+8449
	A03525-019	(not encoded)		U+8449
	A03658-006	(not encoded)		U+8776

(Total 4 glyphs)

#### Data for Item 4

氏 𠂔 𠂔 𠂔 𠂔 𠂔 𠂔  
氏 𠂔 𠂔 𠂔 𠂔

Here is a list of variants which use the "𠂔" or "𠂔" or "𠂔" shape and have identical semantics with another glyph using the "氏" shape. These characters are mainly found from Clerical Script sources such as 《漢隸字源》 or 《隸辨》.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂔 𠂔	A02110-004	U+306B7*	氏	U+6C10
𠂔 𠂔	A02835-005	(not encoded)	砥	U+7825
𠂔 𠂔	A02835-006	(not encoded)	砥	U+7825
N/A 𠂔	A02835-007	(not encoded)	砥	U+7825
𠂔 𠂔	A02892-005	(not encoded)	祗	U+7957
𠂔 𠂔	A02892-007	(not encoded)	祗	U+7957
N/A 𠂔	A02892-017-5	(not encoded)	祗	U+7957

(Total 7 glyphs)





Here is a list of variants which use the "𠂔" or "𠂔" shape and have identical semantics with another glyph using the "氏" shape.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂔 𠂔	B00513-001	U+21276	坻	U+577B
𠂔 𠂔	A00126-018	U+2B88F*	低	U+4F4E
𠂔 𠂔	A03811-004	U+27992	詆	U+8A46
𠂔 𠂔	B03639-004	U+26660	胝	U+80DD

(Total 4 glyphs)

Here is a list of variants which use the "𠂔" or "𠂔" shape and have identical semantics with another glyph using the "氏" shape.

Variant	Edu Code	Codepoint	Related Character	Codepoint
---------	----------	-----------	-------------------	-----------

Variant	Edu Code	Codepoint	Related Character	Codepoint
 砥	A02835-008	(not encoded)	砥	U+7825
 低	A00126-006	(not encoded)	低	U+4F4E
 祇	A02892-011	(not encoded)	祇	U+7957
 狴	C07187-001	U+24788	狴	U+2476C

(Total 4 glyphs)






Here is a list of variants which use the "𠂇" or "𠂈" shape and have identical semantics with another glyph using the "𠂉" shape.







Variant		Edu Code	Codepoint	Related Character	Codepoint
	砥	A02835-003	(not encoded)	砥	U+7825
	低	A00126-001	U+4EFE	低	U+4F4E
	抵	A01544-002	U+22A94	抵	U+62B5
N/A	𠂇	A02884-005	(not encoded)	祇	U+7957
	𠂇	A03811-001	U+20BDE	𠂇	U+5467
	𠂇	A04206-003	U+2868E*	𠂇	U+90B8
	𠂇	B00513-002	U+5758	𠂇	U+577B
	𠂇	B01008-001	U+223B8	𠂇	U+5F24
	𠂇	B03538-001	U+2635E	𠂇	U+7F9D
	𠂇	B03639-005	U+26641	𠂇	U+80DD
	𠂇	B04244-005	(not encoded)	𠂇	U+86B3
	𠂇	B04608-004	(not encoded)	𠂇	U+89DD
	𠂇	B04817-002	(not encoded)	𠂇	U+8CBE

Variant	Edu Code	Codepoint	Related Character	Codepoint
 𠂔	B05002-001	U+282C6	𠂔	U+8EE7
 𠂕	B05532-002	(not encoded)	𠂕	U+963A
N/A 𠂖	B05632-003	(not encoded)	𠂖	U+4A5A
 𠂗	C01948-001	U+215E8	𠂗	U+5943
 𠂘	C02744-003	(not encoded)	𠂘	U+5CBB
 𠂙	C10756-005	(not encoded)	𠂙	U+26551
 𠂚	C11278-001	U+26A1D	𠂚	U+26A22
 𠂛	C13907-001	U+27FDF	𠂛	U+47E1
 𠂜	C16408-007	(not encoded)	𠂜	U+4B2B
 𠂝	C16815-002	(not encoded)	𠂝	U+9AB6
N/A 𠂞	C17548-013	(not encoded)	𠂞	U+9D1F

(Total 24 glyphs)












Here is a list of variants which use the "𠂔" shape and have identical semantics with another glyph using the "𠂕" shape. These forms are usually found in 《龍龕手鑑》 and 《直音篇》. These forms can also be found in large quantity in stone rubbings. Note some of the normalized Sungti forms by the MOE Dictionary seem to be inaccurate and may be better drawn as 𠂔 or 𠂕.

Variant	Edu Code	Codepoint	Related Character	Codepoint
 𠂔	A01544-006-1	(not encoded)	𠂔	U+62B5
 𠂕	A02496-006	(not encoded)	𠂕	U+7274
 𠂖	A02835-013	(not encoded)	𠂖	U+7825
 𠂗	A02892-013	(not encoded)	𠂗	U+7957
 𠂘	A02892-017-3	(not encoded)	𠂘	U+889B

Variant	Edu Code	Codepoint	Related Character	Codepoint
 邛	A04206-009-1	(not encoded)	邛	U+90B8
 坻	B00513-013	(not encoded)	坻	U+577B
 𪚩	B04817-003	(not encoded)	𪚩	U+8CBE
 𪚪	B05002-004	(not encoded)	𪚪	U+8EE7
 葎	C11535-003	(not encoded)	葎	U+83E7
 𪚫	C13716-005	(not encoded)	𪚫	U+8D86

(Total 11 glyphs)

Here is a list of variants which use the "𠂔" shape and have identical semantics with another glyph using the "氏" shape. These forms are usually found in 《龍龕手鑑》 and 《直音篇》, later also in the Kangxi Dictionary, which is why many of them are in Extension B. 24 of 31 glyphs are encoded: 1 in Extension A and 23 in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
 低	A00126-004	(not encoded)	低	U+4F4E
 抵	A01544-004	(not encoded)	抵	U+62B5
 𪚬	A02496-001	U+24633	𪚬	U+7274
 砥	A02835-001	U+2543A	砥	U+7825
 祗	A02884-008-1	(not encoded)	祗	U+7957
 詆	A03811-002	U+2799A	詆	U+8A46
 邛	A04206-001	U+2868F	邛	U+90B8
 坻	B00513-003	U+2126C	坻	U+577B
 𪚭	B01008-002	U+223C1	𪚭	U+5F24
 𪚮	B03099-003	(not encoded)	𪚮	U+79EA
 𪚯	B03538-002	U+2635D	𪚯	U+7F9D

Variant		Edu Code	Codepoint	Related Character	Codepoint
	肱	B03639-003	U+26658	𠂔	U+80DD
	觥	B04608-001	U+278CE	𠂔	U+89DD
	𠂔	B04817-001	U+27D47	𠂔	U+8CBE
	𠂔	B05002-002	U+282C7	𠂔	U+8EE7
	𠂔	B05532-003	U+28E1E	𠂔	U+963A
	𠂔	B05632-001	U+4A58	𠂔	U+4A5A
	𠂔	C01082-003	U+20BDD	𠂔	U+5467
	𠂔	C02744-001	U+21D6E	𠂔	U+5CBB
	𠂔	C04574-002	U+22EFD	𠂔	U+22F15
	𠂔	C04813-001	(not encoded)	𠂔	U+3ADD
	𠂔	C10205-001	U+25FAC	𠂔	U+25FC4
	𠂔	C11278-002	U+26A20	𠂔	U+26A22
	𠂔	C11535-002	(not encoded)	𠂔	U+83E7
	𠂔	C13716-001	U+27EA6	𠂔	U+8D86
	𠂔	C13907-002	U+27FE0	𠂔	U+47E1
	𠂔	C16408-001	U+2969E	𠂔	U+4B2B
	𠂔	C16408-008	(not encoded)	𠂔	U+4B2B
	𠂔	C16815-001	U+29A24	𠂔	U+9AB6
	𠂔	C17223-001	U+29D77	𠂔	U+29D85

Variant	Edu Code	Codepoint	Related Character	Codepoint
 	C17548-003	U+29FD2		U+9D1F

(Total 31 glyphs)

Data for Item 5a

𪔐𪔐𪔐𪔐𪔐𪔐𪔐𪔐𪔐𪔐

Here is a list of variants which use the "𪔐" or "𪔐" shape and have identical semantics with another glyph using the "𪔐" shape. No glyphs has been coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔐	C00418-001	(not encoded)	𪔐	U+34BC
𪔐	B05695-001	(not encoded)	𪔐	U+9862
𪔐	B05908-002	(not encoded)	𪔐	U+9B17
𪔐	B01170-003	(not encoded)	𪔐	U+6172
𪔐	C09776-004	(not encoded)	𪔐	U+25C88
𪔐	B01819-002	(not encoded)	𪔐	U+6A20
𪔐	A02309-002	(not encoded)	𪔐	U+6EFF
𪔐	C15091-002	(not encoded)	𪔐	U+93CB
𪔐	C01796-001	(not encoded)	𪔐	U+3662
𪔐	B01170-001	(not encoded)	𪔐	U+227EE
𪔐	C14786-002	(not encoded)	𪔐	U+490D
𪔐	C10104-002	(not encoded)	𪔐	U+429F
𪔐	A04038-003	(not encoded)	𪔐	U+8E63
𪔐	A02798-002	(not encoded)	𪔐	U+779E
𪔐	B02654-004	(not encoded)	𪔐	U+748A
𪔐	C04907-001	(not encoded)	𪔐	U+66AA
𪔐	C13471-001	(not encoded)	𪔐	U+27C7C

(Total 17 glyphs)



Variant	Edu Code	Codepoint	Related Character	Codepoint
𪛗	B03120-002	(not encoded)	𪛗	U+25879
𪛘	C06621-001	(not encoded)	𪛘	U+2414E
𪛙	C09776-008	(not encoded)	𪛙	U+25D65

(Total 3 glyphs)

Note: 𪛗 has been coded in the Ideographic Variation Database with a sequence of <U+34BC U+E0102> in the Mojijoho IVD collection but is not present in the MOE Dictionary.

Note: 𪛘 has been coded in the Ideographic Variation Database with a sequence of <U+6EFF U+E0104> in the Mojijoho IVD collection but is not present in the MOE Dictionary.

Here is a list of variants which use the "𪛗" or "𪛘" or "𪛙" or "𪛚" or "𪛛" shape and have identical semantics with another glyph using the "𪛗" shape. 2 out of 24 glyphs are coded, all are in Extension B.









Variant	Edu Code	Codepoint	Related Character	Codepoint
𪛛	B02654-002	U+24A38	𪛛	U+748A

(Total 1 glyphs)

















Variant	Edu Code	Codepoint	Related Character	Codepoint
𪛛	A04038-001	(not encoded)	𪛛	U+8E63
𪛛	A02798-001	(not encoded)	𪛛	U+779E
𪛛	A02309-005	U+23F1B	𪛛	U+6EFF
𪛛	A01455-005	(not encoded)	𪛛	U+61E3
𪛛	B01819-003	(not encoded)	𪛛	U+6A20

(Total 5 glyphs)









Variant	Edu Code	Codepoint	Related Character	Codepoint
𪛛	B05695-003	(not encoded)	𪛛	U+9862
𪛛	B01170-002	(not encoded)	𪛛	U+6172

Variant	Edu Code	Codepoint	Related Character	Codepoint
	C14786-003	(not encoded)		U+490D
	C15091-004	(not encoded)		U+93CB
	B01819-004	(not encoded)		U+6A20
	A04710-008	(not encoded)		U+29EB4

(Total 6 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	C09776-003	(not encoded)		U+25C88
	C09776-005	(not encoded)		U+25D65
	C10104-001	(not encoded)		U+429F
	C15091-001	(not encoded)		U+93CB
	C06621-002	(not encoded)		U+2414E
	A02309-028	(not encoded)		U+6EFF
	A02309-026	(not encoded)		U+6EFF
	A02309-033	(not encoded)		U+6EFF

(Total 8 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	C10104-003	(not encoded)		U+429F
	C15091-003	(not encoded)		U+93CB
	A02309-012	(not encoded)		U+6EFF
	C06530-001	(not encoded)		U+6FF7

(Total 4 glyphs)

Here is a list of variants which use the "𪛗" or "𪛘" shape and have identical semantics with another glyph using the "𪛙" shape. No glyphs are coded.



Variant	Edu Code	Codepoint	Related Character	Codepoint
滿	A02309-019	(not encoded)	滿	U+6EFF
滿	A02309-034	(not encoded)	滿	U+6EFF
滿	A02309-030	(not encoded)	滿	U+6EFF
滿	A02309-013	(not encoded)	滿	U+6EFF
滿	A02309-014	(not encoded)	滿	U+6EFF
滿	A02309-037	(not encoded)	滿	U+6EFF
滿	A02309-036	(not encoded)	滿	U+6EFF
滿	A02309-035	(not encoded)	滿	U+6EFF
滿	A02309-022	(not encoded)	滿	U+6EFF
滿	A02309-023	(not encoded)	滿	U+6EFF

(Total 20 glyphs)

Data for Item 6

詹詹詹詹詹詹詹詹  
詹詹詹  
詹詹詹  
詹詹詹詹

Here is a list of variants with the 詹 or 詹 or 詹 or 詹 or 詹 or 詹 or 詹 shape and have identical semantics with another glyph using the "詹" shape. The first three of these shapes were discussed in previous IRG meetings and unified but they has not been added to the UCV. 5 out of 42 glyphs have been coded, all are in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
詹	B01203-001	(not encoded)	詹	U+61BA
詹	A03045-003	(not encoded)	詹	U+7C37
詹	A02351-005	(not encoded)	詹	U+6FB9
詹	A02809-016	(not encoded)	詹	U+77BB
詹	C10825-002	(not encoded)	詹	U+8078
詹	N00348-003	(not encoded)	詹	U+821A
詹	B04569-004	(not encoded)	詹	U+895C
詹	B06255-004	(not encoded)	詹	U+9EF5
詹	C14094-002	(not encoded)	詹	U+4828

(Total 9 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
詹	A03830-001	(not encoded)	詹	U+8A79
詹	B00178-002	(not encoded)	詹	U+510B
詹	B00944-004	(not encoded)	詹	U+5E68

Variant	Edu Code	Codepoint	Related Character	Codepoint
擔	A01688-002	(not encoded)	擔	U+64D4
瞻	C04931-001	(not encoded)	瞻	U+66D5
簷	A03045-001	(not encoded)	簷	U+7C37
檐	B01867-005	(not encoded)	檐	U+6A90
澹	A02351-001	U+23F43	澹	U+6FB9
瞻	A02809-001	(not encoded)	瞻	U+77BB
瞻	C10825-001	U+265EF	瞻	U+8078
膽	A03374-008	(not encoded)	膽	U+81BD
𪔐	N00348-002	(not encoded)	𪔐	U+821A
蟾	B04418-004	(not encoded)	蟾	U+87FE
瞻	A03979-001	(not encoded)	瞻	U+8D0D
𪔑	B06255-003	(not encoded)	𪔑	(not encoded)
𪔒	B06255-002	U+2A4A7	𪔒	U+9EF5
蹠	C14094-001	U+28167	蹠	U+4828
𪔓	C15491-001	(not encoded)	𪔓	U+28F2E

(Total 18 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
詹	A03830-002	U+269D5	詹	U+8A79
膽	A03374-007	(not encoded)	膽	U+81BD

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
檐	B01867-007	(not encoded)	檐	U+6A90

Variant	Edu Code	Codepoint	Related Character	Codepoint
瞻	A02809-006	(not encoded)	瞻	U+77BB
蟾	B04418-001	(not encoded)	蟾	U+87FE

(Total 3 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
詹	A03830-005	(not encoded)	詹	U+8A79
檐	B00944-003	(not encoded)	檐	U+5E68
簷	A03045-005	(not encoded)	簷	U+7C37
檐	B01867-012	(not encoded)	檐	U+6A90
澹	A02351-009	(not encoded)	澹	U+6FB9
瞻	A02809-014	(not encoded)	瞻	U+77BB
膽	A03374-004	(not encoded)	膽	U+81BD

(Total 7 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
儋	B00178-001	(not encoded)	儋	U+510B
澹	A02351-002	(not encoded)	澹	U+6FB9
瞻	A02809-002	(not encoded)	瞻	U+77BB

(Total 3 glyphs)

Here is a list of variants with the 詹 or 詹 or 詹 shape and have identical semantics with another glyph using the "詹" shape. They are identical with first suggested set but only the top part is different. No glyphs have been coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
澹	A02351-008	(not encoded)	澹	U+6FB9
擔	A01688-008	(not encoded)	擔	U+64D4

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔐	B04418-003	(not encoded)	𪔐	U+87FE

(Total 3 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔑	A02351-007	(not encoded)	𪔑	U+6FB9
𪔒	B04418-002	(not encoded)	𪔒	U+87FE

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔓	A03979-005	(not encoded)	𪔓	U+8D0D

(Total 1 glyphs)

Here is a list of variants with the 詹 or 詹 or 詹 shape and have identical semantics with another glyph using the "詹" shape. They are identical with the first suggested set but only the middle part has been swapped out with 比. 4 out of 11 glyphs have been coded, all are in Extension B.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔔	A03979-003	U+27E38	𪔔	U+8D0D
𪔕	A02809-013	(not encoded)	𪔕	U+77BB

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪔖	A03045-005-2	(not encoded)	𪔖	U+859D
𪔗	B04569-002	U+2779F	𪔗	U+895C
𪔘	A03374-010	(not encoded)	𪔘	U+81BD
𪔙	A03374-009	(not encoded)	𪔙	U+66D5
𪔚	C08903-001	U+255B7	𪔚	U+40EB
𪔛	C14164-002	(not encoded)	𪔛	U+2828D
𪔜	A03979-006	(not encoded)	𪔜	U+8D0D



Variant	Edu Code	Codepoint	Related Character	Codepoint
	C15920-003	(not encoded)		U+97C2

(Total 8 glyphs)











Variant	Edu Code	Codepoint	Related Character	Codepoint
	C14164-005	U+28297		U+2828D

(Total 1 glyphs)









Here is a list of variants with the 詹 or 詹 or 詹 or 詹 shape and have identical semantics with another glyph using the "詹" shape. They are identical with the first suggested set but only the middle part has been swapped out with 北. No glyphs have been coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A02351-006	(not encoded)		U+6FB9

(Total 1 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A03830-004	(not encoded)		U+8A79
	B01867-008	(not encoded)		U+6A90
	A03045-005-4	(not encoded)		U+6A90
	A03979-007	(not encoded)		U+8D0D
	A01688-006	(not encoded)		U+64D4

(Total 5 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A03830-003	(not encoded)		U+8A79
	A01688-007	(not encoded)		U+64D4
	A02351-004	(not encoded)		U+F3520
	A02809-011	(not encoded)		U+77BB

(Total 4 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
---------	----------	-----------	-------------------	-----------

Variant	Edu Code	Codepoint	Related Character	Codepoint
詹	A03830-006	(not encoded)	詹	U+8A79
瞻	A03979-004	(not encoded)	瞻	U+8D0D


(Total 2 glyphs)

Data for Item 7

𠂔𠂔𠂔𠂔𠂔𠂔  
𠂔𠂔𠂔𠂔

Here is a list of variants with the 𠂔 or 𠂔 or 𠂔 or 𠂔 or 𠂔 shape and have identical semantics with another glyph using the "𠂔" shape. 1 out of 26 glyphs has been coded, it is in Extension B. Some glyphs are WS2017 candidates.

Note: According to UCV #401, 𠂔𠂔𠂔 are already unifiable.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂔	A00867-009	(not encoded)	𠂔	U+5950
𠂔	A02276-007	(not encoded)	𠂔	U+6E19
𠂔	A02429-017	(not encoded)	𠂔	U+7165
	任顯墓誌銘	(not encoded)	𠂔	U+63DB

(Total 3 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂔	A00867-008	(not encoded)	𠂔	U+5950
𠂔	A00639-005	(not encoded)	𠂔	U+559A
𠂔	A01632-003	(not encoded)	𠂔	U+63DB
𠂔	A02276-003	(not encoded)	𠂔	U+6E19
𠂔	A02429-004	(not encoded)	𠂔	U+7165
𠂔	A02696-005	(not encoded)	𠂔	U+7613

(Total 6 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂔	A00867-003	(not encoded)	𠂔	U+5950
𠂔	A00639-002	(not encoded)	𠂔	U+559A
𠂔	A00639-023	(not encoded)	𠂔	U+559A

Variant	Edu Code	Codepoint	Related Character	Codepoint
𣎵	A01632-002	(not encoded)	𣎵	U+63DB
𣎶	A02276-002	(not encoded)	𣎶	U+6E19
𣎷	A02429-014	(not encoded)	𣎷	U+7165
𣎸	A02429-016	(not encoded)	𣎷	U+7165
𣎹	A02429-031	(not encoded)	𣎷	U+7165
𣎺	C07479-001	U+24A46	𣎺	U+744D
𣎻	C11009-002	(not encoded)	𣎺	U+2675D

(Total 10 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𣎼	A00867-021	(not encoded)	𣎼	U+5950
𣎶	A02276-008	(not encoded)	𣎶	U+6E19
𣎷	A02429-003	(not encoded)	𣎷	U+7165
𣎸	A02696-002	(not encoded)	𣎸	U+7613


(Total 4 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
𣎸	A02696-003	U+24E79	𣎸	U+7613
𣎸	A02696-007	(not encoded)	𣎸	U+7613





(Total 2 glyphs)

Here is a list of variants with the 𣎵 or 𣎶 or 𣎷 or 𣎸 shape and have identical semantics with another glyph using the "𣎵" shape. No glyphs have been coded. Some glyphs are WS2017 candidates. A02429-010 (𣎷) was unified to A02429-022 (𣎷) in WS2017.







Variant	Edu Code	Codepoint	Related Character	Codepoint
𣎷	A02429-022	(not encoded)	𣎷	U+7165

Variant	Edu Code	Codepoint	Related Character	Codepoint
	C08424-003	(not encoded)		U+25209



(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A02429-033	(not encoded)		U+7165
	C08424-004-1	(not encoded)		U+25209

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A02276-015	(not encoded)		U+6E19
	A02429-021	(not encoded)		U+7165
	A02696-006	(not encoded)		U+7613

(Total 3 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
	A02429-010	(not encoded)		U+7165

(Total 1 glyphs)

Data for Item 8

𠂇𠂇𠂇

Here is a list of variants with the shapes 𠂇 and have identical semantics with another glyph using the "𠂇"/"𠂇" shape. No glyphs have been coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
𠂇	A00915-002	(not encoded)	𠂇	U+59D8
𠂇	A03498-005	(not encoded)	𠂇	U+84F1
𠂇	B01672-002	(not encoded)	𠂇	U+681F
𠂇	B04885-002	(not encoded)	𠂇	U+8DF0
𠂇	B05009-003	(not encoded)	𠂇	U+8EFF
𠂇	B05869-002	(not encoded)	𠂇	U+9ABF
𠂇	C07405-002	(not encoded)	𠂇	U+3EC2
𠂇	C11463-002	(not encoded)	𠂇	U+8353
𠂇	C18286-002	(not encoded)	𠂇	U+2A600

(Total 9 glyphs)

Data for Item 9a

𪔐𪔐𪔐𪔐  
𪔐𪔐𪔐  
𪔐𪔐𪔐𪔐

Here is a list of variants with the 𪔐 or 𪔐 or 𪔐 shape which are semantically identical with characters using the 𪔐 shape. 2 out of 23 characters are coded: 1 in Extension B and 1 in Extension F.

Variant	Edu Code	Codepoint	Related Character	Codepoint
勸	A00404-006	(not encoded)	勸	U+52F8
權	A02050-019	(not encoded)	權	U+6B0A
歡	A02065-020	(not encoded)	歡	U+6B61
觀	A03776-012	(not encoded)	觀	U+89C0
嚙	B00471-001	(not encoded)	嚙	U+56BE
嬪	B00652-004	(not encoded)	嬪	U+5B49
燿	B02455-004	(not encoded)	燿	U+721F
獯	B02584-004	(not encoded)	獯	U+8C9B
獯	B02584-005	(not encoded)	獯	U+737E
蠃	B04445-001	(not encoded)	蠃	U+8838
鸛	B06209-006	(not encoded)	鸛	U+9E1B
𪔐	C03468-002	(not encoded)	𪔐	U+22446
𪔐	C09253-001	(not encoded)	𪔐	U+2590A
𪔐	C10428-002	(not encoded)	𪔐	U+432F
𪔐	C13008-001	(not encoded)	𪔐	U+46AD

Variant	Edu Code	Codepoint	Related Character	Codepoint
𪗇	C13862-002	(not encoded)	𪗇	U+47D2

(Total 16 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
灌	A02378-002	U+240A6	灌	U+704C
觀	A03776-030	(not encoded)	觀	U+89C0

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
勸	A00404-004	(not encoded)	勸	U+52F8
權	A02050-004	U+2DB33*	權	U+6B0A
擯	A02050-008	(not encoded)	擯	U+3A72
歡	A02065-005	(not encoded)	歡	U+6B61
懽	B01225-005	(not encoded)	懽	U+61FD

(Total 5 glyphs)

Here is a list of variants with the 𪗇 or 𪗈 or 𪗉 shape. No variants are coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
觀	A03776-045	(not encoded)	觀	U+89C0
歡	A02065-009	(not encoded)	歡	U+6B61
權	A02050-007	(not encoded)	權	U+6B0A
擯	A02050-013	(not encoded)	擯	U+3A72
𪗉	A02050-017	(not encoded)	權	U+6B0A

(Total 5 glyphs)

Here is a list of variants with the 𪗇 or 𪗈 or 𪗉 or 𪗊 shape. No variants are coded.

Variant	Edu Code	Codepoint	Related Character	Codepoint
---------	----------	-----------	-------------------	-----------



Variant	Edu Code	Codepoint	Related Character	Codepoint
搯	A02050-009	(not encoded)	搯	U+3A72
觀	A03776-013	(not encoded)	觀	U+89C0
燿	B02455-006	(not encoded)	燿	U+721F

(Total 3 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
搯	A02050-014	(not encoded)	搯	U+3A72
觀	A03776-022	(not encoded)	觀	U+89C0

(Total 2 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
勸	A00404-008	(not encoded)	勸	U+52F8
權	A02050-011	(not encoded)	權	U+6B0A
權	A02050-027	(not encoded)	權	U+6B0A
搯	A02050-029	(not encoded)	搯	U+3A72
歡	A02065-010	(not encoded)	歡	U+6B61
灌	A02378-005	(not encoded)	灌	U+704C
觀	A03776-016	(not encoded)	觀	U+89C0
懽	B01225-002	(not encoded)	懽	U+61FD
璫	B02683-002	(not encoded)	璫	U+74D8

(Total 9 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
灌	A02378-006	(not encoded)	灌	U+704C

(Total 1 glyphs)

Data for Item 9b

萑萑萑

Here is a list of variants with the 萑 or 萑 or 萑 shape. 6 out of 22 variants are coded: 1 in Extension D, 4 are in Extension F, 1 in Extension G.

Variant	Edu Code	Codepoint	Related Character	Codepoint
勸	A00404-012	(not encoded)	勸	U+52F8
權	A02050-016	(not encoded)	權	U+6B0A
歡	A02065-015	(not encoded)	歡	U+6B61
灌	A02378-008	(not encoded)	灌	U+704C
罐	A03201-010	(not encoded)	罐	U+7F50

(Total 5 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
勸	A00404-010	U+2D13F*	勸	U+52F8
權	A02050-005	U+2B790*	權	U+6B0A
歡	A02065-016	U+2DB55*	歡	U+6B61
灌	A02378-007	(not encoded)	灌	U+704C
罐	A03201-011	U+30B46*	罐	U+7F50
罐	A03201-013	(not encoded)	罐	U+9475
觀	A03776-009	U+2E5DA*	觀	U+89C0
巔	B00909-002	(not encoded)	巔	U+5DCF
慳	B01225-004	U+2D7B9*	慳	U+61FD
謹	B04766-002	(not encoded)	謹	U+8B99
顓	B05704-003	(not encoded)	顓	U+9874

Variant	Edu Code	Codepoint	Related Character	Codepoint
騷	B05863-003	(not encoded)	騷	U+9A69

(Total 12 glyphs)

Variant	Edu Code	Codepoint	Related Character	Codepoint
摧	A02050-010	(not encoded)	摧	U+3A72
歡	A02065-012	(not encoded)	歡	U+6B61
歡	A02065-023	(not encoded)	歡	U+6B61
觀	A03776-039	(not encoded)	觀	U+89C0
顴	B05704-004	(not encoded)	顴	U+9874

(Total 5 glyphs)